



16(3)A / 250V ~ T150

Esecuzione sonda/Probe manufacture/Execution sonde/Fühlerherstellung

Campo di temperatura Temperature field Champ de température Temperaturbereich	Dimensione bulbo D2/L2 Bulb dimensions D2/L2 Dimension bulbe D2/L2 Kugeldimensionen D2/L2	Materiale Material Matériau Material	Capillare: D1/L1 Capillaire: D1/L1 Capillaire: D1/L1 Kapillare: D1/L1
0 ÷ 40 °C	Ø 6,5 x 134 mm	Rame/Copper Cuivre/Kupfer	Ø 1,2 x 1000 mm
0 ÷ 90 °C	Ø 6,5 x 103 mm		Ø 1,2 x 1000 mm
0 ÷ 120 °C	Ø 6,5 x 88 mm		Ø 1,2 x 1000 mm
20 ÷ 200 °C	Ø 5 x 110 mm		Ø 1,2 x 1000 mm
20 ÷ 200 °C	Ø 5 x 106 mm	Acciaio inox/Stainless steel Acier inox/Rostfreier Stahl	Ø 1 x 1000 mm
10 ÷ 300 °C	Ø 5 x 80 mm		Ø 1 x 1000 mm
10 ÷ 320 °C	Ø 3 x 182 mm		Ø 1 x 1000 mm
10 ÷ 250 °C	Ø 6 x 76 mm	Acciaio inox/Stainless steel Acier inox/Rostfreier Stahl	Ø 1 x 400 mm